

Kahlenberg

SINCE 1895

SOUND SIGNALING EQUIPMENT

Accessories - Ship Bells

Ship Bells

Kahlenberg Ship's Bells are manufactured of cast bell bronze alloy, developed specifically for superior tonal quality and resonant characteristics.

BE/36260 : 12" Ship's Bell (swing mount)

BE/36491: 12" Ship's Bell (rigid mount)

BE/36265 : 12" Ship's Bell with bracket



Kahlenberg Ship Bells are available in a number of customized options, including the name and/or logo of the vessel cast into the surface of the bell. When cast with custom graphics included, these bells are bespoke, one of a kind items, made with digital text and logos accurately reproduced via lost wax process. Typically cast in bell bronze alloy with chrome plate finish, these bells are also available in stainless steel.

International Maritime Organization (IMO) Regulations, ('72 Colregs), require 12" Ship's Bells for vessels over 20 meters in length.

Kahlenberg Ship Bells are of the highest quality materials, cast and finished in the U.S.A.

BE/36260 "Classic" 12" Ship's Bell



Options include the casting of the vessel name and/or logo, and launch date in the bell. A proof of the placement and design of complicated graphics is supplied to the customer for approval prior to production.



A variety of surface finishes are offered for bronze bells, including a satin or buffed mirror finish, and award winning decorative chrome plating of the highest quality. Stainless Steel bells are also available of this same design.

Kahlenberg Industries, Inc.
1700 12th Street, P.O. Box 358
Two Rivers, WI 54241 U.S.A.
www.kahlenberg.com




GENERAL
Marine
SERVICES


156 Beaumont Street · Westhaven · Auckland · New Zealand
Sales Ph +64 9 309 0048 · sales@generalmarine.co.nz
Service Ph +64 9 368 0938 · service@generalmarine.co.nz

www.generalmarine.co.nz

*Conforming to International Maritime Regulations
For Vessels Over 20 Meters in Length.*



BELL IS FURNISHED WITH
DOME NUT, WASHER, MOUNTING
BOLT & CLAPPER. OPTIONAL
BRACKET IS ALSO AVAILABLE
AS PART P449-04.




THREAD IS 5/8"-11, MOUNTING
HOLE DIAMETER SHOULD BE
21/32 [17.00]

TECHNICAL DATA	
Material: Cast Bronze	
Net Weight: BELL ONLY - 53 lbs / 24 kg	
Shipping Weight Crated: 100 lbs / 45 kg	
Price: \$	U.S.D. Net. Ea.
(Valid for 60 days, F.O.B. Two Rivers, WI, U.S.A.)	

Kahlenberg's		KAHLENBERG BROS. CO.		TWO RIVERS, WI, U.S.A.	
OUTLINE DIMENSIONS					
12" CLASSIC BELL, RIGID MOUNT, WITHOUT BRACKET ASSEMBLY					
DATE	APPROVED	DWG. NO.	REV.		
10/14/08	EMK	3-6491			



CONFORMING TO INTERNATIONAL MARITIME REGULATIONS
FOR VESSELS OVER 20 METERS IN LENGTH



MATERIAL: CAST BRONZE
WEIGHT: 53 LB [24 KG]

REV.	BY	DATE	DESCRIPTION	APP'D.
A	ZJN	07/17/07	ADDED IMR NOTE FOR VESSELS OVER 20 METERS	SBK

Kahlenberg				
KAHLBERG BROS. CO. TROY, OHIO, WISCONSIN, USA				
OUTLINE DIMENSIONS				
P492-02BE CLASSIC				
12" BELL				
DR.	DATE	CKD.	SCALE	DRWG. NO.
ZJN	11/06/03	SBK	N.T.S.	3-6260
				REV.
				A



GENERAL
Marine
SERVICES


156 Beaumont Street · Westhaven · Auckland · New Zealand

Sales Ph +64 9 309 0048 · sales@generalmarine.co.nz




Service Ph +64 9 368 0938 · service@generalmarine.co.nz

www.generalmarine.co.nz

*Conforming to International Maritime Regulations
For Vessels Over 20 Meters in Length.*



Ø9/16" [14.29]
(3) - PLACES FOR
MOUNTING BOLTS.
BOLTS ARE HELD
CAPTIVE INSIDE OF
THE MOUNTING
BRACKET.



BELL IS FURNISHED WITH
NUTS AND WASHERS TO
MATCH. OPTIONAL BRACKET
IS ALSO AVAILABLE AS PART
#P499-04

REV.	BY	DATE	DESCRIPTION	APP'D.
A	ZN	05/24/10	P499-04 WAS P499-02	EMK

TECHNICAL DATA

Material: Cast Bronze
Net Weight: BELL ONLY - 53 Lbs.
Shipping Weight: BELL ONLY - 68 Lbs.

Price: \$ _____ U.S.D. Net. Ea.
(Valid for 60 days, F.O.B. Two Rivers, WI, U.S.A.)

KAHLENBERG BROS. CO. TWO RIVERS, WI, U.S.A.



**OUTLINE DIMENSIONS
12" CLASSIC BELL
WITH BULKHEAD BRACKET**

DATE	DRWG. NO.	REV.
01/21/04	3-6265	A



**GENERAL
Marine
SERVICES**

156 Beaumont Street · Westhaven · Auckland · New Zealand

Sales Ph +64 9 309 0048 · sales@generalmarine.co.nz

Service Ph +64 9 368 0938 · service@generalmarine.co.nz

www.generalmarine.co.nz