



Water Purifiers

ULTRAPUR

The Tecnicomar UltraPUR water purifier is designed to get bacteria-free potable water with low content of salt from quay and river water.

Low electrical power consumption, easy to move, the water purifier is mounted in a stainless steel frame with wheels. UltraPUR is equipped with sediment and carbon prefiltration to remove impurity and chlorine from the water, with high and low pressure control, flowmeter, pressure regulator, pump for osmotic counterbalance and chemical resistant semipermeable membranes.

The display of the control panel shows the quality of the produced water in terms of conductivity.




STANDARD BOOSTER PUMP



TECHNICAL DATA

Model	Production per hour (litres / gallons)	Production per day (litres / gallons)	Installed Power (kW)	Power supply (Volt / frequency)	Max dimensions -A x B x C- (mm)	Weight (kg)
UltraPUR 800-2	120 / 31	2,280 / 760	0.67	230 V AC - 50 Hz*	500 x 280 x 700	28
UltraPUR 1200-3	180 / 48	4,320 / 1,142	0.67	230 V AC - 50 Hz*	500 x 280 x 700	32
UltraPUR 2000-2	350 / 92	8,400 / 2,119	1.3	230 V AC - 50 Hz*	500 x 280 x 1140	37
UltraPUR 3000-3	480 / 126	11,520 / 3,043	1.3	230 V AC - 50 Hz*	500 x 280 x 1140	40
UltraPUR 5000-2	750 / 198	18,000 / 4,755	1.65	230 V AC - 50 Hz*	670 x 330 x 1200	44
UltraPUR 7500-3	1,150 / 300	27,600 / 7,291	1.65	230 V AC - 50 Hz*	670 x 330 x 1200	48

*single-phase - other voltages and frequencies on demand



GENERAL
Marine
SERVICES

156 Beaumont Street · Westhaven · Auckland · New Zealand

Sales Ph +64 9 309 0048 · sales@generalmarine.co.nz

Service Ph +64 9 368 0938 · service@generalmarine.co.nz

www.generalmarine.co.nz